

MCM48 Installation Record

MCM Model: MCM48-

MCM Serial Number: _____

Installation Date: _____

Installer / Electrician: _____

Electrical Service Type: 4-Wire Wye 3-Wire Delta 4-Wire Delta
 Split-Phase Other: _____

Service Voltage, Line-to-Neutral: _____

Service Voltage, Line-to-Line: _____

Panel(s): _____

Modbus RTU (RS-485) Only (-MB)

Modbus Base Address (DIP Switches 1-6): _____

Modbus Baud Rate (DIP Switches 7-8): _____

Modbus Parity: Default (No parity, one stop bit) Other _____

RS-485 Termination: _____

RS-485 Biasing: _____

Modbus TCP (Ethernet) Only (-MBT)

Ethernet MAC Address: 00-80-A3-

Installation Notes:

MCM Meter and CT Schedule

Channels	Submeter Block	Modbus Addr	CT #	Panel	Ckt #	CT Amps	L1, L2, or L3	Meter Config	Load Name / Description
1-12	ADDR+0		CT1						
			CT2						
			CT3						
	ADDR+1		CT1						
			CT2						
			CT3						
	ADDR+2		CT1						
			CT2						
			CT3						
	ADDR+3		CT1						
			CT2						
			CT3						
13-24	ADDR+4		CT1						
			CT2						
			CT3						
	ADDR+5		CT1						
			CT2						
			CT3						
	ADDR+6		CT1						
			CT2						
			CT3						
	ADDR+7		CT1						
			CT2						
			CT3						

Channels	Submeter Block	Modbus Addr	CT #	Panel	Ckt #	CT Amps	L1, L2, or L3	Meter Config	Load Name / Description
25-36	ADDR+8		CT1						
			CT2						
			CT3						
	ADDR+9		CT1						
			CT2						
			CT3						
	ADDR+10		CT1						
			CT2						
			CT3						
	ADDR+11		CT1						
			CT2						
			CT3						
37-48	ADDR+12		CT1						
			CT2						
			CT3						
	ADDR+13		CT1						
			CT2						
			CT3						
	ADDR+14		CT1						
			CT2						
			CT3						
	ADDR+15		CT1						
			CT2						
			CT3						